

SUPPLEMENTARY MATERIAL

The structural basis of compstatin activity examined by structure-function-based design of peptide analogs and NMR

Dimitrios Morikis,¹ Melinda Roy,² Arvind Sahu,³ Anastasios Troganis,⁴ Patricia A. Jennings,² George C. Tsokos,⁵ and John D. Lambris⁶


¹Department of Chemical and Environmental Engineering, University of California at Riverside, Riverside, CA 92521; ²Department of Chemistry and Biochemistry, University of California at San Diego, La Jolla, CA 92093; ³National Centre for Cell Science, Pune University Campus, Ganeshkhind, Pune 411007, India; ⁴Department of Biological Applications and Technologies, University of Ioannina, GR 45110 Ioannina, Greece; ⁵Walter Reed Army Institute of Research, Silver Spring, MD 20910; ⁶Department of Pathology and Laboratory Medicine, University of Pennsylvania, Philadelphia, PA 19104.

Corresponding authors: Dimitrios Morikis, Department of Chemical and Environmental Engineering, University of California at Riverside, Riverside, CA 92521; phone: (909) 787-2696; fax: (909) 787-5696; e-mail: dmorikis@engr.ucr.edu, and John D. Lambris, Department of Pathology and Laboratory Medicine, University of Pennsylvania, Philadelphia, PA 19104; phone: (215) 746-5765; fax: (215) 573-8738; e-mail: lambris@mail.med.upenn.edu.


Running title: NMR studies of compstatin analogs

Supplementary material: 7 pages including DQF-COSY spectrum of C2A/C12A analog, and TOCSY spectra of Ac-H9A, Ac-V4A/H9A/T13I, Ac-V3A, Ac-W7F, Ac-Q5G/D6A/W7A, and Ac-Q5G/D6P/W7F analogs.


SUPPLEMENTARY MATERIAL




SUPPLEMENTARY MATERIAL




SUPPLEMENTARY MATERIAL




SUPPLEMENTARY MATERIAL



SUPPLEMENTARY MATERIAL



SUPPLEMENTARY MATERIAL



SUPPLEMENTARY MATERIAL

